



Product Catalog



Table of Contents



2

3 Power Solutions

4 Fiber Cables

5 Fiber Accessories

6 Cables

7 Installation Accessories

8 Sync

9 Where to Purchase

Power Solutions

Cyclone Power products deliver dependable energy solutions built for performance and longevity. From advanced lithium-ion batteries with extended cycle life to durable copper battery cables and versatile AC power cords, the catalog offers reliable, efficient, and compatible options to keep your systems running strong.



Copper Battery Cables

The 2ft 4AWG copper battery cables features secure Anderson connectors, 1/4-inch terminals, and heat-shrink protection.

LiFePO4 48V Battery

The 100ah LiFePO4 48V battery delivers long-lasting, reliable power with advanced monitoring and built-in protection.

4-Post Battery Tray

The Adjustable 4-Post Battery Tray securely holds batteries in place in enclosures with four adjustable posts.

4



Fiber Cables

Cyclone's fiber cables deliver fast, scalable, and durable connectivity for modern networks. Designed for low insertion loss and high signal fidelity, they provide reliable performance in FTTH, data centers, and enterprise environments. Available in multiple configurations, these cables ensure consistent, dependable quality.



Drop Fiber

Dielectric/Toneable Flat Drop SM, 18" Armored, SC/APC, Pulling Eye, OptiTap-Compatible, Easy Install.



Patch Cables

Indoor Duplex, Multi Mode OM3 LC, Available in 1M, 2M, 3M, and 5M Lengths.



Hybrid Cables

14 AWG Armored Outdoor Duplex LC/UPC Fiber, 16AWG Drain Wire, 18" End-1 Breakout, 36" End-2 Breakout, Pulling Eye.



Fiber MSTs

OptiTap-Compatible MST (2-12 Port) SC/APC Hardened, Single-mode Toneable G657.A1 Flat Drop, Blunt Pigtail, 100-1750FT




Peelable Drop

Preterminated Toneable Drop, Easy-Peel Design, Available with SC/APC or OptiTap-Compatible Connectors.



Fiber Accessories

Cyclone Fiber Accessories provide reliable solutions for network builds, including enclosures, SFP modules, vaults, pigtails, and splitters. Built for durability and performance, with multiple options available.



Enclosures

IP-68 Fiber Access Terminals.
Various Configurations and
Sizes Available.




SFP Modules

Industrial Temperature
Reliability, Tarana BN
Compatible Model Available,
Hot-Swappable Design.




Vaults

Tier 15 and Tier 22 Rated
HDPE Vaults.



Fiber Pigtails

Sold in 10 Packs, 1M Length
900 Micron SC/APC.



Fiber Splitters

1X2, 1X4, 1X8, 1X16, PLC Splitters.
Bare Fiber or SC/APC
Termination.

6



Cable Solutions

Cyclone's cables provide reliable connectivity for broadband, power, and data applications. Built with durable construction and low-loss design, they include coaxial, AC power, ground, and Cat5e/6a options. Available in multiple lengths and configurations, they ensure consistent quality and performance.



N-Type

240 and 400 Series Low Loss Coaxial Cable Assembly, N-Male to N-Male, N-Male to SMA, and N-Male to RPSMA Available.



SMA

240 Series Low Loss Coaxial Cable Assembly, SMA to SMA, and N-Male to SMA Available.



RP-SMA

240 Series Low Loss Coaxial Cable Assembly, RP-SMA to RP-SMA, and N-Male to RP-SMA Available.



AC Power

The AC Power Cords Are Available in 14 or 18 Gauge With C5, C7, and C13 Options, in 3FT, 5FT, and 6FT Lengths.



Ground

Type RHH 600V -40°C-90°C Dry/Wet Direct Burial Sunlight Resistant Overall Gas and Oil Resistant PVC Jacket.



Cat5e & 6A

Outdoor UV-Rated Category Cable with Dry Gel Tape.



Installation Accessories

Cyclone Installation Accessories offer durable, heavy-duty mounts, including a rugged tripod supporting masts up to 10ft and a versatile 18-inch J-arm mount, available individually or in packs of 10.



J-Arm Mounts

Pre-Assembled, Powder Coated J-Arm Mounts Made from Galvanized Steel.



Tripods

3-Foot Heavy Duty Tripod Made from Zinc/Galvanized Rust-Resistant Surfaces.



Fasteners

UV-Rated Cold Weather Cable Ties Rated for Up to 80 Pounds. Available in 7, 11, and 14-inch lengths.



Grounding

4-Foot Grounding Rod Available in 3/8-Inch and 5/8-Inch Versions.



Surge Protection

Data Surge Protection Outdoor SPD IP65 10GB Ethernet POE++ Shielded Connectors.



Weatherproofing

Cold Shrink Weatherproofing Silicone Tube for Coaxial Cable, fits SMA to N Type Connectors, 240 and 400 Series.

Sync

Cyclone's control timing solutions keep communication systems perfectly in sync. Built for minimal jitter and stable performance across temperatures, they enhance reliability and reduce latency in telecom, broadcast, and business networks. Available in multiple configurations, these devices provide consistent, dependable quality.



CTM 5 56V Power & Sync Injector

56V Power & Sync Injector, Scalable from 4 to 32 Ports, Compatible with Cambium Networks Products.

CTM 5 Controller

Scalable from 4 to 32 Ports, Rack-Mountable and Includes Dual Resilient Power Inputs, 4x USBSerial Port, 1x RJ-45 10/100/1000BaseT Ethernet Port, 1x DC Power Input.

CTM 5 Power Supply

48V IP65 600W 12.5A Dimming CV+CC.



Where to Purchase

Cyclone products are currently available to purchase through four different distributors. WAV and ISP Supplies in the United States, and MBSI WAV and ISP Supplies Canada in Canada. Scan each QR code below to purchase any of the products featured in this catalog.



wavonline.com/brands/Cyclone



mbsiwav.com/brands/Cyclone



ispsupplies.com/brands/Cyclone



ispsupplies.ca/brands/Cyclone

